

Kyrstin Ryan

Name



# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Vishnu K. Agarwal et al.	Examiner: Tuan H Nguyen
Patent No.: 7,288,808	Group Art Unit: 2813
Issue Date: October 30, 2007	Docket No: 1999-0345.01/US
Title: CAPACITOR CONSTRUCTIONS WITH ENHANCED SURFACE AREA	
ATTNI Contigues of Commention Du	Certificate
ATTN: Certificate of Correction Bra Commissioner for Patents	NOV 1 6 2007
Office of Patent Publication	of Correction
We are transmitting herewith the att	
<ul> <li>X Request for Certificate of Correction.</li> <li>X Certificate of Correction Form - PTO-1050 (in duplicate)</li> <li>X A return postcard.</li> <li>Please charge any additional fees or credit overpayment to Deposit Account No. 13-3092.</li> </ul>	
Customer Number: 26809	Respectfully submitted,
Date: November 5, 2007	By:  Russ Slifer  Reg. No. 39,838
CERTIFICATE UNDER 37 CFR. § 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: ATTN: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this day of November 2007.	
Kyrstin Ryan	Kyrsti Lyer

Signature

#### IN UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 7,288,808 Docket No: 1999-0345.01/US

Issue Date: October 30, 2007 Patentee: Vishnu K. Agarwal et al.

Kitle: CAPACITOR CONSTRUCTIONS WITH ENHANCED SURFACE AREA

NOV 1 3 2007

### REQUEST FOR CERTIFICATION OF CORRECTION

ATTN: Certificate of Correction Branch

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

As the error is that of the Patent Office, it is believed that no fee is due.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

Respectfully submitted,

**Customer Number: 26809** 

Date: November **3**, 2007

Russ Slifer

By:

Reg. No. 39,838

CERTIFICATE UNDER 37 CFR § 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: ATTN: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this 28 day of November 2007.

Kyrstin Ryan

Name
Signature

PTO/SB/44 (02-01)
PTO/SB/44 (02-01)
PTO/SB/44 (02-01)
Approved for use through 01/31/2004. OMB 0651-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO

: 7,288,808

Page (1) of 1

DATED

: October 30, 2007

INVENTOR(S)

: Agarwal et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 10, line 6, in Claim 7, delete "claim 5" and insert - - claim 6 - -, therefor.

PTO/SB/44 (02-01)
PTO/SB/44 (02-01)
PTO/SB/44 (02-01)
Approved for use through 01/31/2004. OMB 0651-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO

: 7,288,808

Page (1) of 1

DATED

: October 30, 2007

INVENTOR(S)

: Agarwal et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 10, line 6, in Claim 7, delete "claim 5" and insert - - claim 6 - -, therefor.

